


Class 1095 (Continued)

Pistol, Pyrotechnic

00-8487 15 mm; pen type; German.

26-5820 1.5 in. shell; U. S. Model AN-M8.



95-726-5820

CABBARD, BAYONET

26-5708 plastic form material, steel trimming; olive drab; designed for 10 in. lg blade; U. S. Model M7.

CABBARD, BAYONET-KNIFE

26-5709 plastic form material, steel trimming; olive drab; designed for 10.75 in. lg blade; U. S. Model M8, M8A1.

CABBARD, KNIFE, TRENCH

05-5396 U. S. model M3.

CLASS 1220

BOARD, PLOTTING

70-2976 for 81 mm mortar; model M10.

CLASS 1240

TELESCOPE

00-9265 4 power; w/carrying case; f/u/w rifle, automatic; 62 mm NATO, Belgian FN (FAL).

CLASS 1290

FILTER ASSEMBLY

17-3860 green spun f/light, Aiming Post, M14.

17-3781 red spun f/light, Aiming Post, M14.

JZE SETTER

54-7761 manually operated; hand held type; U. S. Model M27.

LIGHT, AIMING POST

69-2136 Model M41.

POST, AIMING

57-0618 wood; w/metal stake; U. S. Model M7.

69-2156 metal; w/metal point; U. S. Model M10.

CLASS 1305

BELT, CARTRIDGE

H00-1184 metallic; 50 rd capacity; with leader; u/w light machine gun, 7.92 mm, Danish Madsen M52.

CARTRIDGE, CALIBER .22

H02-1147 long rifle cartridge; ball type, high velocity ball, 40 gr wt; 1365 ft. per sec muzzle velocity; lubricated; 50 per carton.

H02-0009 long rifle cartridge; ball type, lead ball, 40 gr wt; 1145 ft per sec muzzle velocity (standard velocity); lubricated; 50 per cardboard box.

H02-1148 long rifle cartridge; ball type, hollow point, 37 gr wt; 1365 ft per sec muzzle velocity (high velocity); lubricated; 50 per cardboard box.

H02-0843 short cartridge; ball type, lead ball, 29 gr wt; 1125 ft per sec muzzle velocity (high velocity); lubricated; 50 per cardboard box.

CARTRIDGE, CALIBER .22 HORNET

028-6141 ball type, soft nose jacketed ball, 45 gr wt; 2460 ft per sec muzzle velocity; MIL Spec MIL-C-3030, amend. 1; designed for caliber .22 survival rifle M4, and caliber .22/.410 gage rifle-shotgun M6; 50 per carton.

305-0891 ball type, soft nose jacketed ball, 45 gr wt; 2460 ft per sec muzzle velocity; MIL Spec MIL-C-3030, amend. 1; designed for cal .22 survival rifle M4, and cal .22/.410 gage rifle-shotgun M6; 50 per carton.

CARTRIDGE, CALIBER .223

H00-6814 ball type; u/w AR-15 rifle; 20 per carton, commercial pack.

H00-7584 tracer type; u/w Armalite AR-15 rifle; 20 per carton.

CARTRIDGE, CALIBER .25

H00-1370 ball type, lead ball, 50 gr wt; 860 ft per sec muzzle velocity w/2 in. lg barrel; cal 6.35 mm Browning; designed for pistols; American Mfr; packed as required.

CARTRIDGE, CALIBER .30

(see page 24 for illustration)

armor-piercing type

301-1664 clipped; 8 cartridges per clip; model M2 cartridge; rifle grade; designed for rifle; 6 clips per bandoleer.

armor-piercing incendiary type

028-6544 single cartridge; Model M14 cartridge; rifle grade; designed for machine gun, rifle; 20 per carton.

armor-piercing type, and tracer type, linked

028-6517 250 cartridges; Models M2 and M25 cartridges; 4-1 functional ratio; Model M1 link; machine gun grade; designed for machine gun; 1 per metal box, M19 series.

ball type, clipped

028-6204 5 cartridges per clip; Model M2 cartridge; rifle grade; designed for rifle; 12 clips per bandoleer.

H02-1531 5 cartridges per clip; Model M2 cartridge; rifle grade; designed for rifles, semi-automatic and automatic; 12 clips per bandoleer.

Class 1305, Cartridge, Caliber .30

(see page 24 for illustration)

ball type, clipped (Continued)

H00-0765 5 cartridges per clip; U. S. Model M2 cartridge, with special headstamp; rifle grade; designed for rifles, semi-automatic and automatic; 12 clips per bandoleer.

301-1665 8 cartridges per clip; Model M2 cartridge; rifle grade; designed for rifle; 6 clips per bandoleer.

H00-3670 8 cartridges per clip; U. S. Model M2 cartridge, with special headstamp; rifle grade; 6 clips per bandoleer.

ball type, linked

028-6537 250 cartridges; Model M2 cartridge; Model M1 link; machine gun grade; designed for machine gun; 1 per metal box, M19 series.

305-0906 250 cartridges; Model M2 cartridge; Model M1 link; machine gun grade; designed for machine gun; 2 per metal can, M21.

ball type, single cartridge

096-3150 Model M2 cartridge; rifle grade; designed for rifle; 20 per carton.

H00-6029 150 gr bullet; soft point; designed for rifle.

H00-6028 180 gr bullet; silver tip, expanding; designed for rifle.

H00-7682 150 grain; silver tip; designed for rifle; Western Super X; 20 per carton.

H00-7681 220 grain; soft point; designed for rifle; Western Super X; 20 per carton.

H00-8866 220 grain; silver tip; 20 per carton.

ball type, and tracer type, linked

028-6542 250 cartridges; Models M2 and M25 cartridges; 4-1 functional ratio; Model M1 link; machine gun grade; designed for machine guns M1917A1, M1919 series, and M37 series; 1 per metal box, M19 series.

H00-8079 250 cartridges; Model M2 and M25 cartridges; 4-1 functional ratio; machine gun grade; designed for ground machine guns; 1 per metal can, M19.

H02-0851 250 cartridges; Model M2 and M25 cartridges; 4-1 functional ratio; machine gun grade; designed for ground machine guns.

tracer type

028-6287 single cartridge; Model M25 cartridge; machine gun grade; designed for machine gun; 20 per carton.

528-5306 single cartridge; Model M25 cartridge; machine gun grade; designed for machine gun, rifle; 20 per carton.

028-6550 single cartridge; Model M25 cartridge; machine gun grade; designed for machine gun; 20 per carton.

CARTRIDGE, CALIBER .30 BLANK

301-1670 clipped; 8 cartridges per clip; Model M1909 cartridge; designed for M1 rifle; 6 per bandoleer.

028-6558 linked; 250 cartridges; w/o end link; Model M1909 cartridge; designed for rifle M1903, M1917; 1 per metal box, M19 series.

CARTRIDGE, CALIBER .30 CARBINE

301-1662 ball type; clipped; 10 cartridges per clip; Model M1 cartridge; rifle grade; designed for carbine M1, M1A1, M2 and M3; 12 per bandoleer.

028-6507 ball type; single cartridge; Model M1 cartridge; rifle grade; designed for carbine M1, M1A1, M2 and M3; 50 per carton.

028-6511 tracer type; single cartridge; Model M27 cartridge; rifle grade; designed for carbine M1, M1A1, M2 and M3; 50 per carton.

CARTRIDGE, CALIBER .300

H02-0675 ball type; single cartridge; variable projectile type, 150 or 180 gr wt; 2370 or 2670 ft per sec muzzle velocity; designed for rifles; cal .300 savage; 20 per carton.

CARTRIDGE, CALIBER .303

H00-1000 ball type; single cartridge; rifle grade; designed for rifles, semi-automatic or automatic; British type MK VII; 48 per carton.

H00-1337 ball type; single cartridge; rifle grade; designed for rifles, semi-automatic and automatic; British MK VII, U. S. Mfr., base stamped "WRA"; 48 per carton.

H00-4911 tracer type; single cartridge; British Mfr; 50 per carton.

CARTRIDGE, CALIBER .32

H02-1151 ball type; lead ball, 71 gr wt; 960 ft per sec muzzle velocity w/4 in. barrel; cal .32 (7.65 mm), U. S. Mfr; designed for pistols; 50 per carton.

H00-1081 ball type; lead ball, 74 gr wt; 980 ft per sec muzzle velocity w/4 in. lg barrel; cal 7.65 mm Browning (Belgian Mfr.); designed for pistols; 25 per carton.

H02-0962 ball type; lead ball, 98 gr wt; 780 ft per sec muzzle velocity w/4.5 in. barrel; cal .32 S & W long (.32 new Police); designed for revolvers; 50 per carton.

H02-0559 ball type; steel jacketed ball, 85 gr wt; 705 ft per sec muzzle velocity w/3 in. barrel; cal .32 S & W; designed for revolvers; 50 per carton.

CARTRIDGE, CALIBER .357

H02-0046 ball type; lead ball, 158 gr wt; 1510 ft per sec muzzle velocity w/8.75 in. barrel; cal .357 magnum; designed for revolvers; packed as required.

CARTRIDGE, CALIBER .375

H02-1465 ball type; lead ball, 270 or 300 gr wt; 2550 or 2740 ft per sec muzzle velocity; cal .375 H & H magnum; designed for rifles; packed as required.

H00-8307 ball type; 300 gr wt; designed for rifles; H & H Super Speed, full patch; 20 per carton.

H00-6026 ball type; designed for rifles; H & H magnum silver tip, expanding; 20 per box.

H00-6027 ball type; designed for rifles; H & H magnum soft nose; 20 per box.

Class 1305 (Continued)

CARTRIDGE, CALIBER .38

344-2400 ball type; 130 gr wt projectile; 1275 ft per sec muzzle velocity; MIL Spec MIL-C-3030, amend. 1; designed for super automatic colt pistols; 50 per carton.

CARTRIDGE, CALIBER .38 SPECIAL

301-1692 ball type; full steel jacketed ball w/tracer, 120 gr wt; 950 ft per sec muzzle velocity; MIL Spec MIL-C-3030; designed for revolver; 50 per carton.

H02-0033 ball type; lead ball, 145 gr wt; 730 ft per sec muzzle velocity w/4 in. barrel; cal .38 S & W; designed for revolvers of cal .38-200; packed as required.

H02-1150 ball type; lead ball, 148 gr wt; 770 ft per sec muzzle velocity w/6 in. lg barrel; S & W midrange sharp corner match; designed for revolvers; 50 per carton.

H02-0560 ball type; lead ball, 150 gr wt; 770 ft per sec muzzle velocity w/6 in. lg barrel; designed for revolvers; 50 per carton.

H00-7246 ball type; lead ball, 158 gr wt; Lubaloy; designed for revolvers; 50 per carton.

H00-2810 ball type; metal piercing super X (oil proof), 150 gr wt; designed for revolvers.

H00-7692 ball type; British; for revolver, Webley Scott, MK IV.

CARTRIDGE, CALIBER .38 SPECIAL, TEAR GAS

H02-0065 CN filled; for pen type guns; 6-8 ft range; 50 per carton.

H00-9064 micronized CS filled; for pen type guns; 6-8 ft range.

CARTRIDGE, CALIBER .380

H02-1149 ball type; single cartridge; for pistol; same as 9 mm short; 50 per carton.

028-6628 ball type; single cartridge; jacketed ball, 95 gr wt; 970 ft per sec muzzle velocity; MIL Spec MIL-C-3030, amend. 1; designed for cal .380 automatic pistol; 50 per carton.

H00-1916 ball type; single cartridge; lead ball, 95 gr wt; 970 ft per sec muzzle velocity, w/3.75 in. lg barrel; Belgian 9 mm Browning short; 25 per carton.

CARTRIDGE, CALIBER .44/40, TEAR GAS

H00-4204 for pen type gun; Winchester 44; 25 per carton.

CARTRIDGE, CALIBER .45

301-1685 ball type; single cartridge; Model M1911 cartridge; grade 1; designed for automatic pistol M1911, M1911A1, revolver M1917 and submachine gun M1, M1A1, M3, M3A1 and M1928A1; 50 per carton.

301-1683 ball type; single cartridge; Model M1911 cartridge; grade 1; designed for automatic pistol M1911, M1911A1, revolver M1917 and submachine gun M1, M1A1, M3, M3A1 and M1928A1; 50 per carton.

H00-4405 explosive type; single cartridge; 173 gr wt; 1140 ft per sec muzzle velocity w/5 in. lg barrel; grade 1; contains explosive bullet which detonates approx. .006 sec after impact; fits any weapon chambered for cal .45, U. S. 1911 case; 5 per tear strip can.






905-6788 tracer type; single cartridge; Model M26 cartridge; grade 1; designed for automatic pistol, revolver and submachine gun; 50 per carton.

CARTRIDGE, CALIBER .458

H00-6024 ball type; lead ball, soft nose; designed for rifles; 20 per box.

H00-6025 ball type; steel nose; designed for rifles; 20 per box.

CARTRIDGE, CALIBER .50



armor-piercing incendiary type

555-4057 linked; 100 cartridges; Model M8 cartridge; Model M9 link; aircraft grade; designed for machine gun; 1 per metal box, M2A1.

Class 1305, Cartridge, Caliber .50

(see page 26 for illustration)

armor-piercing incendiary type (Continued)

028-6592 linked; 100 cartridges; Model M8 cartridge; Model M2 link; aircraft grade; designed for machine gun; 1 per metal box, M2A1.

028-6447 single cartridge; Model M8 cartridge; aircraft grade; designed for machine gun; 10 per carton.

H00-9309 single cartridge; Model M48 cartridge, w/M8 bullet; u/w cal .50 modified spotter rifle; Activity type PEG.

armor-piercing incendiary type, and armor-piercing incendiary tracer type, linked

H00-6013 180 cartridges; Models M8 and M20 cartridges; 4-1 functional ratio, except for 10 rds of armor-piercing incendiary tracer type M20 added 50 rds from end of belt; aircraft grade; right hand feed.

armor-piercing incendiary type, and tracer type, linked

028-6487 105 cartridges; Models M8 and M17 cartridges; 4-1 functional ratio; Model M2 link; aircraft grade; designed for machine gun; 1 per metal box, M2.

H00-5429 100 cartridges; Models M8 and M17 cartridges; 4-1 functional ratio; 1 per metal can.

H00-5427 100 cartridges; Models M8 and M17 cartridges; 4-1 functional ratio; 1 per metal can.

H00-5428 180 cartridges; Models M8 and M17 cartridges; 4-1 functional ratio except 10 rds tracer type M17 added 50 rds from end of belt; 1 per paper lined waterproof wooden box.

ball type

028-6367 linked; 265 cartridges; Model M2 cartridge; Model M2 link; aircraft grade; designed for machine gun; 1 per metal lined wood box, M1917.

deteriorated tracer type

028-6417 linked; 100 cartridges; Model M17 cartridge; Models M2 or M9 link; machine gun grade; designed for machine gun; 1 per metal box, M2A1.

incendiary type

028-6594 linked; 112 cartridges; Model M1 cartridge; Model M2 link; aircraft grade; designed for machine gun; 1 per metal can, M21.

301-1642 single cartridge; Model M1 cartridge; aircraft grade; designed for machine gun; 10 per carton.

tracer type

028-6609 linked; 100 cartridges; Model M17 cartridge; Models M2 or M9 links; aircraft grade; designed for machine gun; 1 per metal box, M2A1.

CARTRIDGE, 5.56 MILLIMETER

926-3970 ball type; single cartridge; Model M193 cartridge; rifle grade; designed for M16 rifle; 20 per carton.

CARTRIDGE, 7.62 MILLIMETER**armor-piercing type**

H00-3882 single cartridge; u/w carbines, rifles and machine guns; USSR; packed as required.

armor-piercing incendiary type

301-1671 single cartridge; Model T101E1 cartridge; machine gun and rifle grade; designed for machine gun M60 and rifle M14; 20 per carton.

H02-3865 single cartridge; USSR Model M43 cartridge, with API bullet, type BZ; 20 per carton.

ball type, clipped

H02-1559 5 cartridges per clip; NATO, Dutch Mfr; 4 clips per carton.

H02-3866 10 cartridges per clip; USSR Model M43 cartridge; u/w SKS weapon; 3 clips per paper wrapper, 18 wrappers per metal box.

ball type, single cartridge

H02-4093 Chicom; silver tipped, with rimmed case.

H00-2048 Czech, Model M-52 cartridge; machine gun grade; designed for ground machine guns; 15 per carton.

H00-7672 NATO, Belgian Mfr; 100 per carton.

H00-7251 NATO, British Mfr; 20 per carton.

H00-9471 NATO, Dutch Mfr.

H00-7015 NATO, Swedish Mfr; 20 per carton.

H02-3645 NATO, U. S. Model M80 cartridge; 20 per carton.

892-4152 Model M80 cartridge; machine gun and rifle grade; designed for machine gun M60, and rifle M14; 20 per carton.

H00-7815 Soviet; light ball; packed as required.

H00-7816 Soviet; heavy ball; packed as required.

H00-0938 USSR; grade 1; designed for pistols and submachine guns; 70 per carton.

H00-2304 USSR; U. S. Mfr, exact duplication of USSR cartridge, with no markings on cartridge; grade 1; designed for pistols and submachine guns; 70 per carton.

tracer type

301-1679 single cartridge; Model M62 cartridge; machine gun and rifle grade; designed for machine gun M60, and rifle M14; 20 per carton.

H02-3864 single cartridge; USSR Model M43 cartridge, w/tracer bullet, type T-45; 20 per carton.

CARTRIDGE, 7.62 MILLIMETER BLANK

990-5594 single cartridge; Model M82 cartridge; designed for machine gun M60, M73 and rifle M14; 20 per carton.

CARTRIDGE, 7.63 MILLIMETER

H02-0561 ball type; single cartridge; lead ball, 86 gr wt; 1420 ft per sec muzzle velocity with 5.5 in. lg barrel; cal 7.63 Mauser (.30); designed for pistols; 50 per carton.

Class 1305 (Continued)**CARTRIDGE, 7.65 MILLIMETER**

H02-0023 ball type; single cartridge; lead ball, 93 gr wt; 1250 ft per sec muzzle velocity with 4.5 in. lg barrel; U. S. cal .30 Luger (7.65 mm); designed for pistols; 50 per carton.

CARTRIDGE, 7.92 MILLIMETER**ball type, belted**

H00-3989 49 cartridges per belt; Canadian type X; designed for ground machine guns.

ball type, clipped

H00-3312 5 cartridges per clip; Belgian Mfr (Fabrique De Nationale); machine gun grade; 3 clips per carton.

H00-4519 5 cartridges per clip; Canadian type X; u/w rifle; 3 clips per carton.

ball type, linked

H00-3874 50 cartridges; heavy ball; Canadian yellow X; u/w Danish Madsen light machine gun.

H00-4585 100 cartridges; Canadian type X and XX mixed.

ball type, single

H00-1508 Canadian; rifle grade; designed for rifles; 44 per carton.

H00-0864 Canadian; rifle grade; designed for rifles; packed as required.

H00-2618 Canadian type X; rifle grade; designed for rifles; 44 per carton.

H00-1454 Canadian type X; rifle grade; designed for rifles; 44 per carton.

H00-1739 Canadian type XX; rifle grade; designed for rifles; 44 per carton.

H00-4176 Chinese (U. S. Mfr, WRA); 158 gr full patch bullet; rifle grade; 20 per carton.

H00-0781 Chinese (U. S. Mfr); rifle grade; designed for rifles; 20 per carton.

H04-0958 German, Patr. s. S. (heavy, green primer, brass case); category A; rifle grade; designed for rifles; 15 per carton.

H04-0947 Spanish, FNP; rifle grade; designed for rifles; 15 per carton.

H00-0823 Spanish, FNP; rifle grade; designed for rifles; 50 per carton.

CARTRIDGE, 9 MILLIMETER**ball type, single cartridge**

H00-1475 Canadian Mfr; parabellum; grade 1; designed for pistols and submachine guns; 64 per carton.

H02-1509 Canadian Mfr; parabellum; grade 1; designed for pistols and submachine guns; 64 per carton.

H00-2617 Canadian Mfr; parabellum; grade 1; designed for pistols and submachine guns; 64 per carton.

H02-3867 u/w Soviet Makarov PM pistol and APS machine pistol only; 16 per carton.

H00-0998 Swedish Mfr; parabellum; Model M39 cartridge; grade 1; designed for pistols and submachine guns; 25 per carton.

H00-0997 Swedish Mfr; parabellum; Model M39 cartridge; grade 1; designed for pistols and submachine guns; 50 per carton.

H02-1145 U. S. Mfr; parabellum; Model M1 cartridge; 116 gr wt bullet; grade 1; designed for pistols and submachine guns; 50 per carton.

CARTRIDGE, .410 GAGE SHOTGUN

H02-0067 standard shot; no. 6; designed for 3 in. depth of chamber; paper case; U. S. Mfr; 25 per carton.

H02-2265 chilled shot; no. 7-1/2; 3 inch.

CARTRIDGE, .410 GAGE TEAR GAS

H00-8043 designed for 2.5 in. depth of chamber; loaded with 1.75 grams of micronized CS; 10 to 15 ft range; 3 per tear strip can, can is 1.312 in. id, 2.75 in. lg.

CARTRIDGE, 12 GAGE SHOTGUN

H00-7173 buckshot; no. 00; plastic case; designed for 2.75 in. depth of chamber.

H02-0690 buckshot; no. 4; paper case; designed for 2.75 in. depth of chamber; 25 per carton.

H02-0590 standard shot; no. 2; paper case; designed for 2.75 in. depth of chamber; 25 per carton.

H02-0073 standard shot; no. 4; paper case; designed for 2.75 in. depth of chamber; 25 per carton.

H02-0074 standard shot; no. 6; plastic case; designed for 2.75 in. depth of chamber; 25 per carton.

H02-2266 standard shot; no. 7-1/2; designed for 2.75 in. depth of chamber.

CARTRIDGE, 12 GAGE SHOTGUN, TEAR GAS

H00-8458 special; 2.0 in. lg o/a.

CARTRIDGE, 12 GAGE TEAR GAS

H00-8042 designed for 2.75 in. depth of chamber; loaded with 5 grams of micronized CS; 10 to 15 ft range; 2 per tear strip can, can is 1.312 in. id, 5.5 in. lg.

CLIP, CARTRIDGE

H00-1310 5 cartridge capacity; u/w rifle, 7.92 mm, German Mauser and Spanish KAR.

CLIP CHARGER

H00-8215 horse shoe type; u/w rifle, 7.62 mm, NATO, Belgian FN.

LINK, CARTRIDGE

305-0925 end link; u/w cal .30 cartridge; MIL Spec MIL-L-3077, amend 1.